

WEALDEYE

Wealdeyes look much like bushes, shrubs and trees, save for a single large plant-like eye and facial features carved into their trunks, plus multiple eyes in smaller knotholes. When they remain still, they are nearly indistinguishable from normal plants. But once they open their eyes and start moving, they appear as plant-like humanoids with at least two legs and one or more limb-like arms. Mostly, they stand quietly in place, alternating between sleeping and observing. Occasionally, they will wander far, especially when spying on threats like encroaching mortals. Extremely long lived, they cultivate deep knowledge over decades, centuries and millennia.

Since wealdeyes gain nutrition in the same way as plants – through water, sunlight, soil and microbes – they can be found in every climate and terrain, from tropical highland jungles to arctic lowland forests. They may even dwell underwater, though this is exceedingly rare. Specimens can be either more masculine or more feminine in their appearances and personalities, though they reproduce through the same pollination methods as trees.

In combat, they lash out with their limbs to tear apart anything that has earned their ire.

- Ever alert and highly curious about anything new to their territories, scraggly wealdeyes resemble the full array of herbs, bushes and shrubs, from thymes and cilantros to junipers and spruces to dogwoods and hollies.
- The most impetuous and aggressive of their kind, brambly wealdeyes resemble the full array of brambles, from raspberries and blackberries to thorny roses and devil's clubs.
- Observant and contemplative, as well as slow to act, leafy wealdeyes resemble the full array of broadleaf trees, from oaks and beeches to palms and baobabs to aspens and birches.
- Quietly thoughtful like their broadleaf kin, but more easily provoked, spiny wealdeyes resemble the full array thinleaf trees, from pines and redwoods to cypresses and monkey puzzles.
- Bloodroot wealdeyes are variants with thick chunks of warped bark across their trunks and branches, giving them a sickly look – their central eyes have creepy blood-red hues. Prone to malevolence, they use their roots and chutes to drain blood from victims and heal themselves.

WEALDEYE TRAITS
Class: plant
Origin: Midgard
Sapience: moral-agent
Lifeways: <i>laxful-hearted-leeward, lashful-hearted-leeward, laxful-detached-leeward, lashful-detached-leeward, laxful-wicked-leeward</i>
Vessel: corporeal (zoetic-nonorganic)
Tier/Shape Range: Dawning ¼×¼×¼ to Crowning 7×7×6 [leafy] or 5×5×12 [spiny]
Role: warrior
Creature Knowledge:
• <i>General:</i> <i>farm</i> or <i>nighlore</i> (sta) DR 14
• <i>Specific:</i> <i>farm</i> or <i>nighlore</i> (imp) DR 23
Fixed Base Grit: [3]×[tier] ²
Roottrait Points: 4+[3×(tier-1)]
Attack Roottraits:
• <i>Physical Strikes/Harm:</i> Wis/Brw
• <i>Magical Strikes/Harm:</i> –
Augmentations/Lifeskills: Ftl +3, Mfl +4; hasten +2; physical strikes +5, physical harm +10; <i>clout</i> ±0 (train: sta); <i>deepfare</i> ±0 (train: sta); <i>dive</i> ±0 (train: sta); <i>farm</i> ±0 (train: adv); <i>heed</i> ±0 (train: sta); <i>landfare</i> +3 (train: adv); <i>look</i> +3 (train: adv; <i>avail:1</i>); <i>lurk</i> +4 (train: imp); <i>nighlore</i> ±0 (train: sta); <i>seafare</i> ±0 (train: sta); <i>search</i> +2 (train: sta); <i>toil</i> +3 (train: imp); <i>tumble</i> ±0 (train: sta)
Carcass Harvest:
• <i>Food:</i> incidental (berries, fruits)
• <i>Water:</i> incidental (condensation)
• <i>Hardwood:</i> [(1d4)×tier] <i>golds</i> , <i>chip</i> (sta) DR 16
Lair Treasure:
• <i>Mundane:</i> incidental
• <i>Magical:</i> sparse

SCRAGGLY WEALDEYE
Tier: Beginning
Lifeway: <i>laxful-hearted-leeward</i>
Languages: Plant, Insect, Beast, Chimera
Shape: ½×½×½
Size Modifier: +3
Mass Modifier: ±0
Speed: walk 2; swim 1; burrow 1
Roottraits: Brw 2; Lth 1; Smt 1; Wis 2; Glt 1
Hasten: 4
Defenses: Nml 18; Ftl 19; Mfl 19
Grit: 12+2d12 [25]
Pneuma: 5
Harm Yields:
• <u>susceptible</u> <i>logos</i> , <i>hubris</i> , <i>heinous</i>
• <u>vulnerable</u> <i>flare</i> 5, <i>gloom</i> 2
• <u>resistant</u> <i>wreck</i> 3, <i>whelm</i> 6, <i>rot</i> 2, <i>rasp</i> 3, <i>frost</i> 7, <i>gleam</i> 8, <i>shake</i> 1, <i>shock</i> 4
• <u>immune</u> <i>chaos</i> , <i>charis</i> , <i>hallow</i>
Condition Adaptations:
• <u>renitent</u> (<i>avail:1</i>) <i>disoriented</i> , <i>stunned</i>
• <u>renitent</u> (<i>avail:2</i>) <i>imbalanced</i> , <i>prostrated</i>
• <u>impervious</u> <i>nauseated</i> , <i>retched</i>
Lifeskills: <i>clout</i> +1 (sta); <i>deepfare</i> +3 (sta); <i>dive</i> +2 (sta); <i>farm</i> +4 (adv); <i>heed</i> +2 (sta); <i>landfare</i> +8 (adv); <i>look</i> +7 (adv; <i>avail:1</i>); <i>lurk</i> +7 (imp); <i>nighlore</i> +2 (sta); <i>seafare</i> +2 (sta); <i>search</i> +4 (sta); <i>toil</i> +6 (imp); <i>tumble</i> +1 (sta) + 1 Smt training level
ATTACKS AND POWERS
3 Limbs – 3 strikes; assail Nml [utilization; 0 pneuma]: targeted melee 1; strike +7; <i>wreck</i> (<i>beat-rend</i>) harm 1d4+4 <i>Option</i> [adjuvant; 1 pneuma]: <i>squash</i> (1d4) or <i>slash</i> (1d4)
Monster and Mortal Powers: <i>ability substitution</i> (Wis); <i>clingclimb</i> ; <i>grappling</i> – improved; <i>speedburst</i> (+2); <i>spheresense</i> ; <i>stonesplit</i> ; <i>tendrigrasp</i> (1d4)
Ascension-Point Value: 19

ALPENGARD | MONSTER STATISTICS

BRAMBLY WEALDEYE
Tier: Surging Lifview: <i>lashful-detached-leeward</i> Languages: Plant, Insect, Beast, Chimera
Shape: 2×2×1 Size Modifier: -1 Mass Modifier: +2 Speed: walk 3; swim 1; burrow 1
Roottraits: Brw 4; Lth 1; Smt 1; Wis 5; Glt 2 Hasten: 7 Defenses: Nml 18; Ftl 25; Mfl 25 Grit: 44+4d12 [70] Pneuma: 10
Harm Yields: <ul style="list-style-type: none"> • <u>susceptible</u> <i>logos, charis, heinous</i> • <u>vulnerable</u> <i>flare 5, gloom 2</i> • <u>resistant</u> <i>wreck 4, whelm 7, rot 2, rasp 4, frost 7, gleam 8, shake 1, shock 4</i> • <u>immune</u> <i>chaos, hubris, hallow</i>
Condition Adaptations <ul style="list-style-type: none"> • <u>renitent</u> (<i>avail:1</i>) <i>disoriented, stunned</i> • <u>renitent</u> (<i>avail:2</i>) <i>imbalanced, prostrated</i> • <u>impervious</u> <i>nauseated, retched</i>
Lifeskills: <i>clout +2 (sta); deepfare +7 (sta); dive +4 (sta); farm +7 (adv); heed +6 (sta); landfare +12 (adv); look +11 (adv; avail:1); lurk +8 (imp); nighlore +3 (sta); seafare +4 (sta); search +5 (sta); toil +9 (imp); tumble +1 (sta) + 1 Smt training level</i>
ATTACKS AND POWERS
8 Limbs — 8 strikes; assail Nml [utilization; 0 pneuma]: targeted melee 2; strike +10; <i>wreck (beat-rend-stab) harm 1d8+2 Option [adjuvant; 1 pneuma]: squash (1d6) or slash (1d6) or gore (1d6)</i>
Monster and Mortal Powers: <i>ability substitution (Wis); clingclimb; grappling — improved; speedburst (+2); spheresense; stonesplit; tendrilgrasp (1d8)</i>
Ascension-Point Value: 31

LEAFY WEALDEYE
Tier: Helming Lifview: <i>laxful-hearted-leeward</i> Languages: Plant, Insect, Beast, Chimera
Shape: 3×3×2 Size Modifier: -4 Mass Modifier: +9 Speed: walk 7; swim 4; burrow 2
Roottraits: Brw 6; Lth 2; Smt 1; Wis 8; Glt 2 Hasten: 10 Defenses: Nml 22; Ftl 31; Mfl 30 Grit: 105+6d12 [144] Pneuma: 14
Harm Yields: <ul style="list-style-type: none"> • <u>susceptible</u> <i>chaos, hubris, heinous</i> • <u>vulnerable</u> <i>flare 3, gloom 4</i> • <u>resistant</u> <i>wreck 10, whelm 17, rot 2, rasp 6, frost 5, gleam 13, shake 3, shock 2</i> • <u>immune</u> <i>logos, charis, hallow</i>
Condition Adaptations: <ul style="list-style-type: none"> • <u>renitent</u> (<i>avail:1</i>) <i>disoriented, stunned</i> • <u>renitent</u> (<i>avail:2</i>) <i>imbalanced, prostrated</i> • <u>impervious</u> <i>nauseated, retched</i>
Lifeskills: <i>clout +2 (sta); deepfare +10 (sta); dive +7 (sta); farm +10 (adv); heed +9 (sta); landfare +15 (adv); look +14 (adv; avail:1); lurk +11 (imp); nighlore +5 (sta); seafare +5 (sta); search +7 (sta); toil +12 (imp); tumble +2 (sta) + 1 Smt training level</i>
ATTACKS AND POWERS
Inmate Weapons — 5 strikes; assail Nml [utilization; 0 pneuma]: <ul style="list-style-type: none"> • 4 Limbs: targeted melee 3; strike +13; <i>wreck (beat-rend) harm 2d8+4 Option [adjuvant; 1 pneuma]: squash (1d8) or slash (1d8)</i> • 1 Stomp: targeted melee 2; strike +13; <i>wreck (beat) harm 2d12+9 Option [adjuvant; 1 pneuma]: squash (1d10)</i>
Monster and Mortal Powers: <i>ability substitution (Wis); clingclimb; grappling — improved; speedburst (+4); spheresense; stonesplit; tendrilgrasp (1d10)</i>
Ascension-Point Value: 47

ALPENGARD | MONSTER STATISTICS

SPINY WEALDEYE
Tier: Quelling Lifeview: <i>lashful-hearted-leeward</i> Languages: Plant, Insect, Beast, Chimera, Titan
Shape: 2×2×7 Size Modifier: -7 Mass Modifier: +14 Speed: walk 9; swim 3; burrow 1
Roottraits: Brw 7; Lth 1; Smt 2; Wis 8; Glt 4 Hasten: 10 Defenses: Nml 19; Ftl 34; Mfl 33 Grit: 144+7d12 [190] Pneuma: 18
Harm Yields: <ul style="list-style-type: none"> • <u>susceptible</u> <i>logos, hubris, heinous</i> • <u>vulnerable</u> <i>flare</i> 4, <i>gloom</i> 4 • <u>resistant</u> <i>wreck</i> 11, <i>whelm</i> 16, <i>rot</i> 4, <i>rasp</i> 8, <i>frost</i> 9, <i>gleam</i> 11, <i>shake</i> 2, <i>shock</i> 5 • <u>immune</u> <i>chaos, charis, hallow</i>
Condition Adaptations: <ul style="list-style-type: none"> • <u>renitent</u> (<i>avail:1</i>) <i>disoriented, stunned</i> • <u>renitent</u> (<i>avail:2</i>) <i>imbalanced, prostrated</i> • <u>impervious</u> <i>nauseated, retched</i>
Lifeskills: <i>clout</i> +5 (sta); <i>deepfare</i> +11 (sta); <i>dive</i> +9 (sta); <i>farm</i> +11 (adv); <i>heed</i> +10 (sta); <i>landfare</i> +16 (adv); <i>look</i> +15 (adv; <i>avail:1</i>); <i>lurk</i> +10 (imp); <i>nighlore</i> +6 (sta); <i>seafare</i> +7 (sta); <i>search</i> +8 (sta); <i>toil</i> +11 (imp); <i>tumble</i> +2 (sta) + 2 Smt training levels
ATTACKS AND POWERS
Innate Weapons— 4 strikes; assail Nml [utilization; 0 pneuma]: <ul style="list-style-type: none"> • 3 Limbs: targeted melee 4; strike +13; <i>wreck</i> (<i>beat-rend-stab</i>) harm 3d6+7 Option [adjuvant; 1 pneuma]: <i>squash</i> (1d8) or <i>slash</i> (1d8) or <i>gore</i> (1d8) • 1 Stomp: targeted melee 2; strike +13; <i>wreck</i> (<i>beat</i>) harm 5d6+10 Option [adjuvant; 1 pneuma]: <i>squash</i> (1d10)
Monster and Mortal Powers: <i>ability substitution</i> (Wis); <i>clingclimb</i> ; <i>grappling</i> – <i>improved</i> ; <i>speedburst</i> (+5); <i>spheresense</i> ; <i>stonesplit</i> ; <i>tendrigrasp</i> (1d10)
Ascension-Point Value: 61

BLOODROOT WEALDEYE TEMPLATE
Movement Alterations: walk +1; burrow +1
Harm Yields Alterations: <u>resistant</u> <i>wreck</i> +4, <i>whelm</i> +2, <i>rot</i> +11
Condition Adaptations Alterations: <u>renitent</u> (<i>avail:1</i>) <i>nauseated, retched, poisoned, diseased</i>
Lifeskills Alterations: none
Attacks and Powers Alterations: <i>limb</i> and <i>stomp</i> strikes— base variable harm +1 d-step, plus <i>siphon</i> (1d8) option
Ascension-Point-Value Alterations: +9